



ClinicalKey[®]

User Guide 2026

Elsevier Korea Health solution

문호진 CSM

h.moon@elsevier.com



ELSEVIER



Advancing human progress together

For Clinicians

ClinicalKey 엘스비어의 근거중심 최신 임상의학정보 통합솔루션



Physician

- 신속하게 확대되는 임상지식과 깊이 있는 자료 제공
- 신뢰할 수 있는 근거
- 임상 관련 빠른 답변 제공

Nurses

- 치료계획을 효율적으로 수행할 수 있도록 실질적인 답변 제공


Pharmacist

- 최적의 약물 치료를 안내할 수 있도록 지원

Students

- 의과대학생-교수들에게 필요한 지식과 자료 제공

근거기반 최신 Reference와 Point-of-care의 통합



www.ClinicalKey.com

ClinicalKey

등록 및 로그인


가입

및

외부접속 (Remote Access)

ClinicalKey 등록

Step1. 등록 (Register) : Full text (PDF) 다운로드 필수



1. 기관 내 IP에서 PC로 ClinicalKey 접속: www.clinicalkey.com
2. 우측 상단의 'Register' 클릭
3. 기관 이메일 주소로 Register (*표시 항목은 필수 입력)
4. 기관 이메일로 확인 메일이 오면 ClinicalKey 로그인하기

※ 외부/모바일접속 이용을 위해 반드시 기관 이메일로 가입 해주세요.

예) 기관 이메일: @abc.hospital.kr, @abc.ac.kr

Register

Registration is quick and free. It allows you to personalize the [Elsevier products](#) to which you have access.

* = Required. [Privacy policy](#).

Your details

First name *

Family name *

Email and password

Your e-mail address will be your username for these [Elsevier products](#).

Email address *

Password *

> [Additional profile details](#)

☐ I wish to receive information from Elsevier B.V. and its affiliates concerning their products and services

☐ I have read and understood the [Registered User Agreement](#) and agree to be bound by all of its terms. *

[Register >](#)

Step1. 등록 (Register)

- 가입한 이메일 주소로 등록 확인 메일 수신 이후, 로그인 가능
- 스팸함 함께 확인 요망

Registration Confirmation

Thank you for registering at ClinicalKey. Your login information is as follows:

Username: [redacted]@elsevier.com


Username = 가입한 이메일 주소 = ClinicalKey 로그인 아이디
*반드시 기관 도메인 이메일로 가입
(예: @abc.hospital.kr, @abc.ac.kr)로 가입

Elsevier B.V., Radarweg 29, 1043 NX Amsterdam, The Netherlands. Reg. no. 33156677. VAT no. NL 005033019B01.

Copyright © 2014 Elsevier B.V. | [Privacy Policy](#)

Remote Access (외부접속 및 모바일 접속)

Step 2. 외부 및 모바일 접속 (Remote Access)



Apply for remote access

If your institution has Remote Access enabled, this feature will allow you to access ClinicalKey even when you are not on your institution's network.

To begin, please input your institutional email address below. Remote Access is not compatible with a Yahoo, Gmail, or other personal email account. If you do not have an email address associated with your institution, please contact your institution's administrator to obtain remote access.

A form for applying for remote access. It features a text input field labeled 'Email address' with a red circle and the number '3' next to it. Below the input field is a blue button labeled 'Continue >'. The entire form is enclosed in a red rectangular border.

1. 로그인 후 우측 상단의 이름 클릭 → Remote Access 클릭
2. 가입한 이메일 주소(= 로그인 ID = Username)를 입력

Step 2. 외부 및 모바일 접속 (Remote Access)

Dear Customer,

Thank you for choosing the remote access activation option. To confirm please use the link below.

[Activate your remote access](#)

This confirmation link is only for h.moon@elsevier.com, please do not forward this message.

Regards,

The ClinicalKey team.

3. 60분 내로 전달된 이메일의 링크 클릭

(링크: "Activate your remote access")

4. 외부 PC, 모바일 (ClinicalKey App) 등으로
Remote Access 가능

ELSEVIER






➤ 180일 마다 재인증 과정이 있음.

➤ 기관 IP대역 내에서 진행

Step 2. 외부 및 모바일 접속 (Remote Access)

[모바일 로그인]

1. ClinicalKey 앱 오픈
2. ClinicalKey (Product) 선택 후, Next 
3. ClinicalKey.com (Edition) 선택 후, Get Started 
4. Access via your Institution 클릭
5. 이메일 주소 입력 (기관도메인)
6. 다음 화면에서 비밀번호 입력하여 로그인
7. 로그인 클릭하여 ClinicalKey 앱 사용 시작



ClinicalKey

기능 소개

- 검색 (필터링 기능)
- 개인화 기능 (즐거찾기, 저장 등)
- 콘텐츠별 기능

검색 (Searcing) - 모바일

1. CK 사이트 상단 검색창에 원하는 키워드를 입력.
2. 검색창 좌측 “All Type”의 필터링 기능을 통해, 원하는 범위로 좁혀가며 검색 결과를 확인
 - 출처 타입 (Source Type)
 - 분과 (Specialties)
 - 시간 (Time)





Figure 11. Content Filters


콘텐츠 저장 (Saving Contents) - 모바일

1. “♡” 문양 클릭하여 “즐거찾기“ 목록에 콘텐츠를 저장.
2. Save Content 리스트에서 나중에 재확인 가능
3. 어플에서는 우측하단 “Setting” 버튼을 통해, 나의 계정 정보 확인 및 어플 설정 가능




검색 (Searcing) – PC

1. CK 사이트 상단 검색창에 원하는 키워드를 입력.
2. 검색창 좌측 “All Type”의 필터링 기능



콘텐츠 저장 (Saving Contents) - PC

1. ☆ : 즐겨찾기에 콘텐츠 저장, Save Content 리스트에서 재확인
2. ✉ 공유, 🖨 PDF파일 저장 또는 인쇄



Browse ▾ Tools ▾

Saved Searches Search History

Ablation of Atrial Fibrillation

OUTLINE [Open all](#) [Close all](#)

Summary [^](#)

- Key Points
- Alarm Signs and Symptoms

Basic Information [v](#)

Treatment [v](#)

Special Considerations [v](#)

Follow-up [v](#)

Author Affiliations

References

CLINICAL OVERVIEW

Ablation of Atrial Fibrillation

David S. Frankel MD and Katie Walsh MB BCH BAO

Updated June 22, 2024. Copyright Elsevier BV. All rights reserved.

Summary

Key Points

- Ablation of atrial fibrillation is a procedure used to isolate and interrupt the source of the arrhythmogenic impulse; it may be performed surgically or via catheters
- Modes of ablation include percutaneous endocardial ablation (by radiofrequency, cryoballoon, laser, or pulsed field) and epicardial (surgical) ablation; a hybrid convergent approach (combined endocardial and epicardial) is sometimes

콘텐츠 저장 (Saving Contents) - PC

1. ☆ : 즐겨찾기에 콘텐츠 저장, Save Content 리스트에서 재확인
2. ✉ 공유, 🖨 PDF파일 저장 또는 인쇄

The screenshot displays the ClinicalKey website. At the top, the ClinicalKey logo and 'ELSEVIER' are visible. The main search bar contains the text 'Search for conditions, treatments, drugs, books, journals, and more'. Below the search bar, there are dropdown menus for 'All Types' and 'Type your search', a 'Search' button, and a link to 'Ask ClinicalKey AI'. To the right of the search bar, there are links for 'Search History' and 'Saved Searches'. Below the search bar, there is a section titled 'Inform your clinical decisions' with five categories: 'Clinical Overviews', 'Drug Monographs', 'Calculators', 'Guidelines', and 'Patient Education'. Each category has a brief description and a right-pointing arrow. At the bottom of this section, there is a link 'See more clinical content types >'. On the right side of the page, there is a user profile menu for 'hyojin Moon' with options: 'Settings', 'CME/MOC 158.5', 'Change Language', 'Saved Content', 'Presentations', 'Change Organization', 'Remote Access', and 'Log Out'. A red box highlights the 'Saved Content' option in the user menu. A red arrow points from the 'Clinical Pharmacology' link in the top navigation bar to the 'hyojin Moon' user profile.

우측상단 이름 클릭
: 설정변경 및
개인화 기능,
외부접속 확인

ClinicalKey 콘텐츠
: 콘텐츠 타입별로
검색 또는 확인

Clinical Decision support

□ 임상 의사결정 지원: Clinical Overview로 빠르게 확인

Clear filters X

Filter By:

Source Type:

☐ Journal Articles 9457

Select an Option

☒ Full Text Only

☐ Full Text and MEDLINE

☐ Meta-analyses 283

☐ Randomized Control Trials 316

☐ Narrative Reviews 2272

☐ Books 1182

☐ Guidelines 941

☐ Clinical Overviews 763

☐ Clinical Trials 343

Show More V

☐ 12262 results

☐ CLINICAL OVERVIEW

Diabetes Mellitus Type 1 in Children

Diabetes mellitus type 1 is a chronic metabolic disease characterized by hyperglycemia and absolute insulin deficiency secondary to destruction of pancreatic β -cells. Type 1 diabetes accounts for most cases of diabetes diagnosed in childhood. Children...

Updated March 12, 2024. © 2024.

Jump to [Summary](#) [Diagnosis](#) [Workup](#) [Treatment](#)

☐ CLINICAL OVERVIEW

Diabetes Mellitus, Diagnosis and Classification

Diabetes mellitus (DM) is characterized by hyperglycemia due to abnormal glucose metabolism. DM is the result of multiple interacting pathophysiologic processes and can be a manifestation of a heterogeneous group of diseases. DM (particularly type 2...

Kohlenberg, Jacob, MD. Updated May 21, 2024. © 2021.

Jump to [Summary](#) [Diagnosis](#) [Workup](#)

Sort by: **Relevance** V

Relevance

Date (newest to oldest)

Diabetes Mellitus

Disease Overview

[View Full Topic](#)

Ferri's Clinical Advisor 2025 · Ferri, Fred F., MD, FACP

DEFINITION

• Diabetes mellitus (DM) refers to a syndrome of hyperglycemia resulting from many different causes (see "Etiology"). It is broadly classified into type 1 (T1DM) and type 2 DM (T2DM). The terms *insulin-dependent* and *non-insulin-dependent* diabetes are obsolete because when a person with type 2 diabetes needs insulin, he or she remains labeled as type 2 and is not reclassified as type 1. Immune-mediated type 1 DM (type 1A) represents 5% to 10% of newly diagnosed diabetics. [Tables 1 and 2](#) provide a general comparison of the two types of DM. One difference is that type 1 has usually complete or near-total knockout of insulin reserves mediated solely by immunogenic responses from carriers of certain genotypes, whereas type 2 is of polygenetic origin and may have patients who may start with hyperinsulinemia but have insulin resistance and through environmental factors such as diet and sedentary lifestyle leads to an imbalance between glucagon and insulin levels,... [More](#)

Book & Journal

- E-Books (1000+), E-Journals(1000+) 원문(full-text) 열람 및 PDF 다운로드
→ 로그인 이후 가능 & 챕터별로 가능




JACC (Journal of the American College of Cardiology)

Search this Journal

Current Issue
2024-1-16, Volume 83,
Issue 2

Journal Volumes:

- Articles in Press
- Volume 83 (2024)




BOOK

Abeloff's Clinical Oncology, Fifth Edition

Table of Contents

Front Matter	29. Cancer Pharmacology	67. Eye, Orbit, and Adnexal Structures
Copyright	30. Hematopoietic Stem Cell Transplantation	68. Cancer of the Head and Neck
Dedication	31. Gene Therapy in Oncology	69. Melanoma
Memoriam	32. Therapeutic Antibodies and Immunologic Conjugates	70. Nonmelanoma Skin Cancers : Basal Cell and Squamous Cell Carcinomas
Preface	33. Complementary and Alternative Medicine	71. Cancer of the Endocrine System
Contributors	34. Disorders of Blood Cell Production in Clinical Oncology	72. Cancer of the Lung : Non-Small Cell Lung Cancer and Small Cell Lung Cancer
1. Molecular Tools in Cancer Research	35. Diagnosis, Treatment, and	
2. Intracellular Signaling		
3. The Cellular Microenvironment and		

Search this Book



Niederhuber, John E., MD; Armitage, James O., MD; Doroshow, James H., MD; Kastan, Michael B., MD, PhD; Tepper, Joel E., MD
Copyright © 2014 by Churchill Livingstone, an imprint of Elsevier Inc.

Want to own this book? [🔗](#)
Buy your copy at Elsevier Health Bookstore today

ELSEVIER

Deepen specialty & medical knowledge

□ Books & Journals

EPUB : 전자책 프로그램 연계



ELSEVIER


Easy EMG

Jay M. Weiss, Lynn D. Weiss, Julie K. Silver

Expand all | Collapse all

Cover image	Cover
Title page	i
Table of Contents	ii
Title page	ii
Copyright	ii
Contents	iv
Preface	iv
Dedication	vi
Video Table of Contents	ix
List of Illustrations	xi
List of Tables	xi
Chapter 1: What is an EMG?	xi
Chapter 2: Why Perform Electrodiagnostic Studies?	4
Chapter 3: About the Machine	8
Chapter 4: Nerve Conduction Studies	16
Chapter 5: Electromyography	26
Chapter 6: Injuries to Peripheral Nerves	e1
Chapter 7: How to Plan Out the Examination	72
Chapter 8: Pitfalls	97

EPUB: 전자책
플랫폼기능
업데이트



Deepen specialty & medical knowledge

❑ Books & Journals: **NEW UPDATE**

- **Reading Assistant: 의학문헌에서의 핵심 정보를 빠르게 파악할 수 있도록 돕는 AI기반 지원 Tool**

요약: 해당 챗터와 저널 아티클의 빠른 확인

자연어 형태로 질문: 정확한 맥락을 파악할 수 있는 답변과 Follow up question을 통한 Insight

Reference: 원문의 해당 문단으로 바로 연결되어 AI생성 답변의 투명성과 추적성 보장



The screenshot shows a journal article titled "Exercise treadmill testing for efficacy evaluation in randomised controlled trials". On the left sidebar, there is a "Reading assistant" button with a text input field "Ask about this article" and a paper plane icon. A red arrow points to this button. Below the button is an "OUTLINE" section with links for "Methods", "Results", and "Discussion". The main content area shows the article title, authors (Andrew Morrow, PhD; Robin Young, PhD; George R. Oliveira, MSc; John P. Greenwood, MBChB, PhD; Jayanti SB, MD, DPhil; Roby Rakshit, BSc(Hons), MBBS MD; Gav Divaka Perera, MD, FRCP; Rasha Al-Lamee, MBBS, PhD; Gerald Clesham, MA, PhD; Thomas J. Ford, MBChB(Honorary), MBBS, PhD; Juan Carlos Kaski, MD, DSc, PhD; Philip Ambery, MBChB, PhD; Paul Welsh, MSc, PhD), and the journal information (American Heart Journal, July 01, 2026, Volume 207, Article 102320).



The screenshot shows the "Reading assistant" interface. At the top, it says "Reading assistant" with a "Learn more" link and a "Beta" badge. Below this, it says "Actions you could take:" and has a button labeled "Summarize this article". There is also a larger button labeled "Summarize this article" below it.

This research letter examines the limitations of treadmill testing as an efficacy endpoint in randomised controlled trials, using data from the PROGRESS trial.

Key Findings

Progressive Exercise Improvement: Exercise tolerance increased progressively in all participants across the three phases, independent of whether they received placebo treatment [1][2].

Discussion

Exercise test duration improved progressively in all participants during the clinical trial, independent of treatment with zibotentan or placebo. Compared with placebo, treatment with zibotentan 10-mg daily for 12-weeks did not improve treadmill exercise duration or angina symptoms. On the other hand, treatment with zibotentan was associated with other pharmacodynamic effects which provided evidence of target engagement. The distribution of exercise duration did not increase over successive visits (Table), indicating the neutral effect of zibotentan at a dose of 10-mg daily on exercise duration is not explained by measurement variability.

임상 계산기 (Calculator)

- 임상 진단, 스크리닝, 치료를 위한 계산기 제공, 임상과(Specialty) 카테고리별로 브라우징 가능

Browse by category

[Body Metrics](#)
[Cardiology](#)
[Critical Care](#)
[Drug Calculators](#)
[Gastrointestinal](#)
[Hematology/Oncology](#)
[Infectious Disease](#)
[Metabolic](#)
[Nephrology](#)
[Neurology/Psychiatry](#)
[Other](#)
[Pediatrics](#)
[Pulmonology](#)
[Rheumatology/Immunology](#)
[Unit Conversion Calculators](#)

Search clinical calculators

ex: 'renal failure index'

Cardiology

Acute Myocardial Infarction

[Chest Pain Risk Assessment in Patients with Normal Troponin and ECG](#)
[Chest Pain Score](#)
[Coronary Artery Disease Risk Clinical Assessment \(Duke study\)](#)
[GRACE Score for Acute Coronary Syndrome Prognosis](#)
[HEART Score](#)
[Inferior Wall Myocardial Infarction Diagnosis TreeCalc](#)
[Intracranial Bleeding Risk from Thrombolytic Therapy of MI](#)

Atrial Fibrillation CHA(2)DS(2)-VASc Score for Stroke Risk

Clinical Features

☐ Congestive heart failure / LV dysfunction (1 point)
☐ Hypertension (1 point)
☐ Diabetes Mellitus (1 point)
☐ History of stroke, TIA or thromboembolism (2 points)
☐ Vascular disease (history of MI, PVD or aortic atherosclerosis) (1 point)

Age

☐ 65-74 years old (1 point)
☐ ≥75 years old (2 points)

Sex

☐ Female (1 point)
☐ Male (0 points)

Total Criteria Point Count:

Reset Form

Adjusted Stroke Rate

0 points: 0% per year

1 point: 1.3% per year

환자교육자료 (Patient Education) : 10,000여종 이상

- 진료과 별로 주요 질병, 검사, 치료(시술/수술), 약물 등 의학 정보에 대한 교육자료 제공
- 5,000종 이상의 한국어 환자교육자료 포함
- 한국어 환자교육자료 다운로드 방법: 사용가능언어(Korean) → Print (Korean) → Create Printable PDF

The screenshot shows the 'Browse Patient Education' page. On the left, a sidebar lists various medical specialties and languages. The 'Available Languages' section is highlighted with a red box, showing 'Korea Korean' selected. The main content area displays a list of educational topics, including '10 Things You Can Do to Manage Your Condition at Home - CDC (07/16/2021)', '24-Hour Urine Collection', and '3 Key Steps to Take While Waiting for Your COVID-19 Test Result - CDC (07/09/2021)'. A red arrow points from the '24-Hour Urine Collection' title to a detailed view of the same topic. In this detailed view, the 'Print' button is highlighted with a red box, and the 'Create printable PDF' button is also highlighted with a red box. The detailed view includes the title '24-Hour Urine Collection', the subtitle 'How do I do a 24-hour urine collection?', and a list of instructions in Korean. An image of a urine collection container is also shown.

Browse Patient Education

Filter By:

Specialties

- ☐ Cardiovascular 114
- ☐ Dentistry 11
- ☐ Dermatology 28
- ☐ Emergency 58
- ☐ Endocrinology and Metabolism 46
- ☐ Gastroenterology and Hepatology 104
- ☐ Hematology 20
-

Authoring Organizations

- ☐ Available Languages 3900
- ☒ Korea Korean

PATIENT EDUCATION

24-Hour Urine Collection

Elsevier Interactive Patient Education © 2018 Elsevier Inc.
Last revised: June 27, 2018.

How do I do a 24-hour urine collection?

24시간 소변 채취는 어떻게 하나요?

- 아침에 일어나자마자, 변기에 소변을 보고 물을 내리십시오. 시간을 기록하십시오. 이는 소변을 채취한 날의 시작 시간이 되며 끝나는 시간은 다음 날 아침이 됩니다.
- 시작 시간부터 줄곧 모든 소변은 검사실에서 받은 소변 수집 용기에 보관해야 합니다.
- 만약 제공된 용기에 이미 액체가 담겨 있어도 괜찮습니다. 용기 안에 있는 액체를 버리거나 세척하지 마십시오. 일부 검사의 경우 소변에 이 액체가 첨가되어야 합니다.
- 소변기 또는 변기 위에 놓을 수 있는 팬과 같은 표본 채취용 용기에 배뇨하십시오. 이 용기에서 소변 수집 용기로 소변을 따르십시오. 소변을 흘리지 않도록 주의하십시오. 검사실에서

Print

Available to print in English , Arabic , Bosnian , Spanish , Canadian French , Haitian Creole , Korean , Polish , Portuguese , Russian , Tagalog , Vietnamese & Chinese (Mandarin/Traditional) .

Text Size

☐ Small ☒ Medium ☐ Large

Create printable PDF

Procedure Video (시술/수술 영상)

- 진료과별 주요 시술/수술 프로시저 비디오 및 Anatomy, 절차 등 텍스트 확인 가능

Browse Procedure Videos

Filter By:
Specialties
☐ Anesthesia 53
☐ Cardiovascular 31
☐ Emergency 93
☐ Family Medicine/ General Medicine 51
☐ Internal Medicine 94
☐ Obstetrics and Gynecology 23
☐ Orthopedics 60
☐ Pediatrics 7

Filter List by Title
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Abdominal Paracentesis

PROCEDURE VIDEOS

Abdominal Paracentesis



All participants in this Procedure gave their written informed consent.

Last Reviewed: November 22, 2020

Valerie Vigil, MD
Emergency Medicine Specialist, Santa Cruz, CA
Todd W. Thomsen, MD

Intra-abdominal adhesions and surgical scars

Bowel is often adherent to the peritoneal wall in areas of previous surgery, trauma, or masses, and such adherence contributes to an increased risk for bowel perforation.

An alternative entry site should be selected, or ultrasound guidance should be used, to minimize the risk for bowel injury.

Equipment

See Figure 5 .



antiseptic

lidocaine & syringe

sterile gauze

paracentesis catheter

large syringe

high-pressure tubing

evacuated container

specimen tubes

bandage

Multimedia (멀티미디어)

- 진료과 및 멀티미디어 타입(image, video)별로 필터링 가능
- Presentation maker 기능: 이미지를 PPT 파일로 변환하여 바로 반출 (Reference 함께)**
방법: 로그인 → 이미지 클릭 → 모니터 모양 아이콘 Add to Presentation 클릭 → 폴더명 설정 후 Add → 이미지 우측의 “Export” 클릭

The screenshot displays the Elsevier Multimedia interface. On the left, the 'Browse Multimedia' section includes a 'Filter By:' sidebar with 'Specialties' and 'Media Type' lists. The main content area shows a grid of medical images, with one image titled 'IMAGED Implanted Port' selected. A red box highlights the 'Add to Presentation' button (a monitor icon) on the image. An overlay window titled 'Add to Presentation' is open, showing a list of presentations to select from. A red box highlights the 'Add' button in the bottom right corner of this overlay. On the right side of the interface, a sidebar contains user information and navigation links, with a red box highlighting the 'Presentations' link.

ELSEVIER

ClinicalKey Contact Us

- 고객센터

Contact Us

- [ClinicalKey 소개 사이트 \(클릭\): 우측 QR스캔](#)
- [Elsevier ClinicalKey 고객센터 \(클릭\)](#)



Email



Chat



Phone

ClinicalKey



ClinicalKey®

Clinical Pharmacology >

hyojin Moon



hyojin Moon
TechSquad Internet Upgrades (change)

Profile

Settings

CME/MOC 158.5

Change Language

Saved Content

Presentations

Change Organization

Remote Access

Log Out

Help & Feedback

Call Us

Email Us

Help

About ClinicalKey

Learn more about other offerings and editions

Search for conditions, treatments, drugs, books, journals, and more

All Types

Type your search

Search

Ask ClinicalKey AI

Search History Saved Searches

Inform your clinical decisions

Clinical Overviews

Comprehensive clinical topic summaries

Drug Monographs

Drug and dosing information to guide treatment

Calculators

Interactive tools to support clinical decisions

Drug Class Overviews

Identify best treatment options within a drug class

Guidelines

Latest clinical guidelines from leading organizations

Patient Education

Educate and empower your patients

Clinical Comparison


Compare drug indications, contraindications and reactions

Adverse Reaction

View medication-specific adverse reactions

See more clinical content types >

<https://www.clinicalkey.com>



Advancing human progress together

- ❑ 기관별 맞춤 ClinicalKey 세미나 진행
 - 기관별 의학도서관 사서 선생님과 엘스비어 담당자가 일정 논의
 - 최소 3주 전에 논의 필요